

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	21655	709/223	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/06 09:21
L3	0	(@ad<="20020412" or @rlad<="20020412") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (fast\$4 or rate) near5 (recover\$4 or retransmit \$4) and (l2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/06 09:21
L4	35	(@ad<="20020412" or @rlad<="20020412") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (l2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/06 09:21
S1	24857394	(@ad<="20020412")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 08:03
S2	205	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg \$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 08:09

S3	37	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (window) near5 (size)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 08:10
S4	37	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (window) near5 (siz\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 08:10
S5	3	2003/0092392	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 08:12
S6	2	"20030092392"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 08:13
S7	1	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (window) near5 (siz\$4) and (bind)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 09:44
S8	0	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (window) near5 (siz\$4) and (bind) and (ver\$7 or ip) near6 (S6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 09:46

S9	0	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg \$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (bind\$4) and (ver\$6 or ip) near6 (\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 09:47
S10	0	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg \$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (ver\$6 or ip) near6 (\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 09:47
S11	34	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg \$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (ip) near5 (ver\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 09:51
S12	13	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg \$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (ip) near5 (ver\$6) and (bind\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 09:53
S13	15	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg \$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (ip or internet protocol) near5 (ver\$6) and (bind\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 09:54
S14	0	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg \$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (ip or internet protocol) near5 (ver\$6) near5 (\$6) and (bind\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 09:57

S15	6	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (ip or internet protocol) near5 (ver\$6) near5 ("6") and (bind\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 09:57
S16	3	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (ip or internet protocol) near5 (ver\$6) near5 ("6") and (bind\$4) and (subnet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/27 10:01
S17	1	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (window) near5 (siz\$4) same (percent\$5 or "%")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 07:30
S18	6	(@ad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (window) near5 (siz\$4) same (percent\$5 or "%" or increas\$4 or growth or enlarg\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 07:38
S19	213206	zhang.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:04

S20	11959	kan.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:05
S21	46609	ma.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:05
S22	241112	li.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:05
S23	24	dongfeng.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:05
S24	22343	709/203	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:05
S25	3	(mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (S20)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:06

S26	3	(mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (S21)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:06
S27	20	(mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (S22)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:06
S28	2	(mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (S23)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:06
S29	10	(mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (S24)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/28 11:06
S30	25248944	(@ad<="20020412" or @rlad<="20020412")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 12:27
S31	56	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (window) near5 (siz\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 12:33

S32	5	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (window) near5 (siz\$4) and (fast) near5 (recover\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 12:34
S33	9	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) and (hand) near5 (off or over) and (window) near5 (siz\$4) and (fast\$2) near5 (recover\$4 or retransm\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 12:42
S35	1	"10/510696"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 13:00
S36	6	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) same (hand) near5 (off or over) and (window) near5 (siz\$4) and (fast\$2) near5 (recover\$4 or retransm\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 13:25
S37	6	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) same (hand) near5 (off or over) and (window) near5 (siz\$4) and (fast\$2) near5 (recover\$4 or retransm\$4) and (congestion or avoidance) near5 (control or mechanism\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 13:33

S38	6	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss) same (hand) near5 (off or over) and (window) near5 (siz\$4) and (fast\$2) near5 (recover\$4 or retransm\$4) and (congestion or avoidance) near5 (control or mechanism\$2) and (packet\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 13:41
S39	6	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss or delay\$4 or lost) same (hand) near5 (off or over) and (window) near5 (siz\$4) and (fast\$2) near5 (recover\$4 or retransm\$4) and (congestion or avoidance) near5 (control or mechanism\$2) and (packet\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 13:45
S40	6	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss or delay\$4 or lost) same (hand) near5 (off or over) and (window) near5 (siz\$4 or allow\$4) and (fast\$2) near5 (recover\$4 or retransm\$4) and (congestion or avoidance) near5 (control or mechanism\$2) and (packet\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 13:55

S42	0	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss or delay\$4 or lost) same (hand) near5 (off or over) and (fast\$2) near5 (recover\$4 or retransm\$4)and (congestion or avoidance) near5 (control or mechanism\$2) and (packet\$2) (before or prior) near5 (ack)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 15:15
S43	1	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss or delay\$4 or lost) same (hand) near5 (off or over) and (fast\$2) near5 (recover\$4 or retransm\$4)and (congestion or avoidance) near5 (control or mechanism\$2) and (packet\$2) and (before or prior) near5 (ack)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 15:15
S44	10	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss or delay\$4 or lost) same (hand) near5 (off or over) and (fast\$2) near5 (recover\$4 or retransm\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 15:43
S45	10	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular or cell) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss or delay\$4 or lost) same (hand) near5 (off or over) and (fast\$2) near5 (recover\$4 or retransm\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 15:44

S46	3	(@ad<="20020412" or @rlad<="20020412") and (mobile or wireless or cellular or cell) and (acknowledg\$5) and (packet) near5 (reduc\$5 or loss or delay\$4 or lost) same (hand) near5 (off or over) and (fast\$2) near5 (recover\$4 or retransm\$4) and (predetermin\$4 or set) near5 (window)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 15:45
S47	2	(@ad<="20020412" or @rlad<="20020412") and (slid\$4) near5 (window) and (hand) near5 (over or off) and (packet) and (fast) near5 (recover\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 16:06
S50	0	"2007/0280273"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 17:26
S53	0	"2009/0201886"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 17:27
S54	1	10/856047	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 17:40
S55	1	12/004478	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 17:41

S56	22	"742480"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 17:44
S57	1	"10/742480"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/28 17:44
S58	2	(@ad<="20020412" or @rlad<="20020412") and (slid\$4) near5 (window) and (hand) near5 (over or off) and (packet) and (fast \$4) near5 (recover\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 05:39
S59	5	(@ad<="20020412" or @rlad<="20020412") and (slid\$4) near5 (window) and (hand) near5 (over or off) and (packet) and (fast \$4) near5 (recover\$4 or retransmit \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 05:46
S60	5	(@ad<="20020412" or @rlad<="20020412") and (slid\$4) near5 (window) and (hand) near5 (over or off) and (packet\$2) and (fast \$4) near5 (recover\$4 or retransmit \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 05:54
S61	22415	"20020412"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 07:22

S62	0	"2002/0412"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 07:23
S63	2	"20070280273"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 07:23
S64	2	"20090201886"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 07:23
S65	2	"20090168720"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 07:26
S66	2	"20070280273"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 07:27
S67	16	(@ad<="20020412" or @rlad<="20020412") and (slid\$4 or siz\$4) near5 (window) and (hand) near5 (over or off) and (packet\$2) and (fast\$4) near5 (recover\$4 or retransmit\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 07:33

S68	11	(@ad<="20020412" or @rlad<="20020412") and (slid\$4 or siz\$4) near5 (window) and (hand) near5 (over or off) and (packet\$2) near5(lost or loss) and (fast\$4) near5 (recover\$4 or retransmit\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 07:34
S69	0	(@ad<="20020412" or @rlad<="20020412") and (slid\$4 or siz\$4) near5 (window) and (hand) near5 (over or off) and (packet\$2) near5(lost or loss) and (fast\$4) near5 (recover\$4 or retransmit\$4) and (bind \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 08:16
S70	9	(@ad<="20020412" or @rlad<="20020412") and (slid\$4 or siz\$4) near5 (window) and (hand) near5 (over or off) and (packet\$2) near5(lost or loss) and (fast\$4) near5 (recover\$4 or retransmit\$4) and (congest\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 08:29
S71	9	(@ad<="20020412" or @rlad<="20020412" or @pd<="20030411") and (slid\$4 or siz\$4) near5 (window) and (hand) near5 (over or off) and (packet\$2) near5(lost or loss) and (fast\$4) near5 (recover\$4 or retransmit\$4) and (congest\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 09:12

S72	14	(@ad<="20020412" or @rlad<="20020412" or @ad<="20030411") and (slid\$4 or siz \$4) near5 (window) and (hand) near5 (over or off) and (packet\$2) near5(lost or loss) and (fast\$4) near5 (recover\$4 or retransmit\$4) and (congest\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 09:12
S73	18	(@ad<="20020412" or @rlad<="20020412") and (slid\$4 or siz\$4 or reduc\$4 or decreas\$4) near5 (window) and (hand) near5 (over or off) and (packet\$2) and (fast\$4) near5 (recover\$4 or retransmit\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 10:33
S74	39	(@ad<="20020412" or @rlad<="20020412") and (window) and (hand) near5 (over or off) and (packet\$2) and (fast\$4) near5 (recover\$4 or retransmit\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 10:34
S75	1	(@ad<="20020412" or @rlad<="20020412") and (window) and (hand) near5 (over or off) and (packet\$2) and (fast\$4) near5 (recover\$4 or retransmit\$4) and (cwnd)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 10:50
S76	3	"20040122981"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 11:09
S77	2	"6799039".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 11:11

S78	2	"6941141".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 11:40
S79	3	"20030125028"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 11:43
S80	2	"20060014539"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/04 11:44
S81	44	(@ad<="20020412" or @rlad<="20020412" or @ad<="20030411") and (window) and (hand) near5 (over or off) and (packet\$2) and (fast\$4) near5 (recover\$4 or retransmit\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 05:44
S82	20	(@ad<="20020412" or @rlad<="20020412" or @ad<="20030411") and (window) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (fast\$4) near5 (recover\$4 or retransmit\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 05:46

S83	24	(@ad<="20020412" or @rlad<="20020412" or @ad<="20030411") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (fast\$4 or rate) near5 (recover\$4 or retransmit \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 06:29
S84	2	"20090201886"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 06:58
S85	2	"20090168720"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:05
S86	7	(@ad<="20020412" or @rlad<="20020412" or @ad<="20030411") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (nokia)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:18
S87	19	(@ad<="20020412" or @rlad<="20020412") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (fast\$4 or rate) near5 (recover\$4 or retransmit \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:40

S88	0	(@ad<="20020412" or @rlad<="20020412") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (fast\$4 or rate) near5 (recover\$4 or retransmit \$4) and (nokia)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:40
S89	100	(@ad<="20020412" or @rlad<="20020412") and (multiplicative decrease)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:55
S90	4	(@ad<="20020412" or @rlad<="20020412") and (multiplicative decrease) and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:55
S91	4	(@ad<="20020412" or @rlad<="20020412") and (multiplicative decrease) and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (recover\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:55
S92	4	(@ad<="20020412" or @rlad<="20020412") and (multiplicative decrease) and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (recover\$4) and (packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:55

S93	4	(@ad<="20020412" or @rlad<="20020412") and (multiplicative decrease) and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (recover\$4) and (packet) near5 (loss or lost)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:56
S94	4	(@ad<="20020412" or @rlad<="20020412") and (multiplicative decrease) and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (recover\$4) and (packet) near5 (loss or lost) and (window)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:57
S95	4	(@ad<="20020412" or @rlad<="20020412") and (multiplicative decrease) and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (recover\$4) and (packet) near5 (loss or lost) and (window) and (packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 07:57
S96	1	(@ad<="20020412" or @rlad<="20020412") and (multiplicative decrease) and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (recover\$4) and (packet) near5 (loss or lost) and (window) and (packet) and (fast\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 08:17
S97	15	(@ad<="20020412" or @rlad<="20020412") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (fast\$4 or rate) near5 (recover\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 17:05

S98	0	(@ad<="20020412" or @rlad<="20020412") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (fast\$4 or rate) near5 (recover\$4) and (mobile) near5 (v6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 17:08
S99	0	(@ad<="20020412" or @rlad<="20020412") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (fast\$4 or rate) near5 (recover\$4) and (mobile) near5 ("6")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 17:08
S100	2	(@ad<="20020412" or @rlad<="20020412") and (window) near5 (siz\$4 or slid\$4) and (hand) near5 (over or off) and (packet\$2) near5 (loss or lost) and (fast\$4 or rate) near5 (recover\$4) and (v or version) near5 ("6")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/05 17:08

EAST Search History (Interference)

< This search history is empty>

5/ 6/ 2010 9:22:28 AM

C:\Documents and Settings\gsmarth\My Documents\EAST\Workspaces\10510696-systemandmethodforimprovingthroguputinacommunicationnetworkprefereablymobile.wsp